



C607005 Incoming  
Cc: Amanda

Austin Belcher  
Environmental Engineer II  
HC 35, Box 380  
Helper, UT 84526  
(435) 448-2668 - Office  
(435) 448-2632 - Fax  
ABelcher2@archcoal.com

Q

July 18, 2013

RECEIVED

JUL 29 2013

DIV. OF OIL, GAS & MINING

Coal Regulatory Program  
Attn.: Daron Haddock  
Division of Oil, Gas and Mining  
1594 West North Temple, Suite 1210  
P.O. Box 145801  
Salt Lake City, Utah 84114-5801

RE: PacifiCorp's June 2013 JC-3 DMRs

Dear Mr. Haddock:

Please find included with this letter the June 2013 PacifiCorp DMRs for the JC-3 well. PacifiCorp did not operate the well in June. Skyline Mine is unaware of any plans by PacifiCorp to restart and continue pumping water from JC-3 in the near future. If you have any questions regarding this information, please call me at (435) 448-2668.

Sincerely:

A handwritten signature in blue ink, appearing to read "Austin Belcher".

Austin Belcher  
Environmental Engineer II  
Canyon Fuel Company, LLC.  
Skyline Mine

Enclosures:

PacifiCorp's June 2013 JC-3 Discharge Monitoring Report (DMR)

**Huntington Plant**  
P.O. Box 680  
Huntington, UT 84528

9 July 2013

Department of Environmental Quality  
Division of Water Quality  
Attn: Mr. Jeffery Studenka, Section Manager  
195 North 1950 West  
P.O. Box 144870  
Salt Lake City, Utah 84114-4870

**Re: Huntington Plant – James Canyon Well System UPDES Permit #UT0025534  
DMR for June 2013**

Dear Mr. Studenka:

In accordance with the James Canyon Well System UPDES permit (#UT0025534), Section II.D.; Reporting of Monitoring Results, PacifiCorp is hereby submitting a Discharge Monitoring Report (DMR) for the period June 1, 2013 to June 30, 2013.

This DMR is being submitted with the following certification:

*I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

During the month of June there was no discharge from JC-3. If you have any questions and/or need additional information, please contact Darce Guymon at (435) 687-4305.

Sincerely,



Darrell J. Cunningham  
Managing Director

Enclosure

cc: Austin Belcher, Canyon Fuels Skyline Mine

PERMITEE NAME/ADDRESS  
**James Canyon Well System**  
**P.O. Box 680**  
**Huntington, Utah 84528**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)

Form Approved  
 OMB No. 2040-0004

MINOR  
 F-FINAL  
 JC-3 PUMPING PLATFORM TO LAKE

UT0025534  
 PERMIT NUMBER

001 A  
 DISCHARGE NUMBER

MONITORING PERIOD  
 YEAR MO DAY YEAR MO DAY  
 1 3 0 6 0 1 1 3 0 6 3 0

FACILITY  
**James Canyon Well System**  
 LOCATION  
**Huntington, Utah 84528**

ATTN: Darce Guymon ( PROJECT REPRESENTATIVE)

\*\*\* NO DISCHARGE  \*\*\*

PARAMETER	QUALITY OR LOADING		QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE (AS AG)			( 78 )						
00056 EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	Continuous	
PHI	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
00400 EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
OIL AND GREASE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
HEXANE EXTR. METHOD	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
00552 EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
NITROGEN, AMMONIA	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
TOTAL (AS N)	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
00610 EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
NITRITE PLUS NITRATE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
TOTAL 1 DET (AS N)	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
00630 EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
PHOSPHORUS, TOTAL	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
00665 EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
PHOSPHORUS, DISSOLVED	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	
00666 EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	REQUIREMENT	REPORT 30DA AVG	*****	*****	*****	0	ONCE/MONTH	

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER  
**DARRELL J. CUNNINGHAM**  
**MANAGING DIRECTOR**

TYPED OR PRINTED  
 COMMENT AND EXPLANATION OF ANY VIOLATIONS

TELEPHONE  
**687-4305**

DATE  
**7/9/2013**

ARFA CODE  
**435**

NUMBER  
**687-4305**

MO DA YR  
**7/9/2013**

James Canyon Well System  
 P.O. Box 680  
 Huntington, Utah 84528

James Canyon Well System  
 Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)

001 A  
 DISCHARGE NUMBER

PERMIT NUMBER		MONITORING PERIOD	
YEAR	MO	DAY	DAY
1 3	0 6	0 1	1 3
MO	DA	AVG	DAY
0 6	3 0	6 3	0 0

A TTN: Darce Guymon (PROJECT REPRESENTATIVE)

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
ARSENIC, DISSOLVED (AS AS)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01000 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MGL	0	ONCE/MONTH	GRAB
ARSENIC, TOTAL (AS AS)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01002 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MGL	0	ONCE/MONTH	GRAB
CADMIUM, DISSOLVED (AS CD)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01025 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MGL	0	ONCE/MONTH	GRAB
CADMIUM, TOTAL (AS CD)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01027 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MGL	0	ONCE/MONTH	GRAB
CHROMIUM, DISSOLVED (AS CR)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01030 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MGL	0	ONCE/MONTH	GRAB
CHROMIUM, TOTAL (AS CR)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01034 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MGL	0	ONCE/MONTH	GRAB
COPPER, DISSOLVED (AS CU)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01040 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MGL	0	ONCE/MONTH	GRAB

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

DARRELL J. CUNNINGHAM  
 MANAGING DIRECTOR

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER	TELEPHONE	DATE
DARRELL J. CUNNINGHAM	687-4305	7/9/2013
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)	AREA CODE	NO DA YR
	435	
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	NUMBER
	<i>Darrell J. Cunningham</i>	

PERMITTEE NAME/ADDRESS

James Canyon Well System  
P.O.Box 680  
Huntington, Utah 84528

FACILITY  
LOCATION  
James Canyon Well System  
Huntington, Utah 84528

ATTN: Darce Guymon ( PROJECT REPRESENTATIVE)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

UT0025534  
PERMIT NUMBER

001 A  
DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
1	3	0	1	3	0
1	3	0	6	3	0

Form Approved  
OMB No. 2040-0004

MINOR

F-FINAL

IC-3 PUMPING PLATFORM TO LAKE

\*\*\* NO DISCHARGE  \*\*\*

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
COPPER, TOTAL (AS CU)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01042 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT 30 DA AVG	MG/L	0	ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01045 EFFLUENT GROSS VALUE	*****	*****	*****	*****	0.5 DAILY MX	MG/L	0	ONCE/MONTH	GRAB
IRON, DISSOLVED (AS FE)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01046 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT 30 DA AVG	MG/L	0	ONCE/MONTH	GRAB
LEAD, DISSOLVED (AS PB)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01049 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT 30 DA AVG	MG/L	0	ONCE/MONTH	GRAB
LEAD, TOTAL (AS PB)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01051 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT 30 DA AVG	MG/L	0	ONCE/MONTH	GRAB
NICKEL, DISSOLVED (AS NI)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01065 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT 30 DA AVG	MG/L	0	ONCE/MONTH	GRAB
NICKEL, TOTAL (AS NI)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01067 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT 30 DA AVG	MG/L	0	ONCE/MONTH	GRAB

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER  
**DARRELL J. CUNNINGHAM**  
MANAGING DIRECTOR

TYPED OR PRINTED

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TELEPHONE  
435 687-4305  
DATE  
7/9/2013

AREA CODE  
435  
NUMBER  
687-4305

SIGNATURE OF PRINCIPLE EXECUTIVE OFFICER  
OFFICER OR AUTHORIZED AGENT

PERMITEE NAME/ADDRESS

James Canyon Well System  
P.O. Box 680  
Huntington, Utah 84528

James Canyon Well System  
Huntington, Utah 84528

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

UT002554  
PERMIT NUMBER

001 A  
DISCHARGE NUMBER

MONITORING PERIOD			
YEAR	MO	DAY	TIME
13	06	01	

\*\*\* NO DISCHARGE  \*\*\*

Form Approved  
OMB No. 2040-0004

MINOR

F-FINAL  
JC-3 PUMPING PLATFORM TO LAKE

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SILVER, DISSOLVED (AS AG)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01075 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MG/L	0	ONCE/MONTH	GRAB
SILVER, TOTAL (AS AG)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01077 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MG/L	0	ONCE/MONTH	GRAB
ZINC, DISSOLVED (AS ZN)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01090 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MG/L	0	ONCE/MONTH	GRAB
ZINC, TOTAL (AS ZN)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01092 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MG/L	0	ONCE/MONTH	GRAB
SELENIUM, DISSOLVED (AS SE)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01145 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MG/L	0	ONCE/MONTH	GRAB
SELENIUM, TOTAL (AS SE)	*****	*****	*****	*****	*****	(19)	0	ONCE/MONTH	GRAB
01147 EFFLUENT GROSS VALUE	*****	*****	*****	*****	REPORT DAILY MX	MG/L	0	ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	*****	0	(94)	*****	*****	MG/L	0	ONCE/MONTH	GRAB
45613 EFFLUENT GROSS VALUE	*****	0	YES = 1 NO = 0	*****	*****	*****	0	ONCE/MONTH	VISUAL

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER  
**DARRELL J. CUNNINGHAM**  
MANAGING DIRECTOR

TELEPHONE  
435 687-4305

DATE  
7/9/2013

AREA CODE  
435

NUMBER  
687-4305

MO  
7

DA  
9

YR  
2013

MO  
7

DA  
9

YR  
2013

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

